Our Product Introduction



# 10Ω NTC Negative Temp Coefficient Thermistor MF72-SCN10D-5 771m $\Omega$ Resistance Under Load

# **Basic Information**

Place of Origin: Shenzhen, Guangdong, China

• Brand Name: SOCAY

Certification: UL,REACH,RoHS,ISO
Model Number: MF72-SCN10D-5
Minimum Order Quantity: 2000PCS / 1000PCS

• Price: Negotiable

Packaging Details: AMMO packing bulkDelivery Time: 5-8 work days



# **Product Specification**

• Item: NTC Thermistor

• Dimension: Ф5тт • R25: 10Ω 0.7A • Imax: • Resistance Under Load:  $771 \text{m}\Omega$ 6mW/ δ: 20 Secs. • T: 47μF • C: • Storage Temperature -10 To +40 Range:

Highlight: 10Ω Negative Temp Coefficient Thermistor,
NTC Negative Temp Coefficient Thermistor



# More Images



# **Product Description**

10 $\Omega$  Negative Temperature Coefficient Thermistor MF72-SCN10D-5 771m $\Omega$  Resistance Under Load

DATASHEET: MF72-SCN10D-5\_v2105.1.pdf

Part Number	Resistance at 25 ±20%	Max. Permissible Working Current	Resistance under Load (mΩ)	Dissipation Factor	lime	Maximum permissible apacitance @240Vac
	R <sub>25</sub> (Ω)	I <sub>max</sub> (A)	(mΩ)	δ(mW/ )	τ(Sec.)	C(uF)
MF72- SCN10D-5	10	0.7	771	6	20	47

#### Features:

RoHS & Halogen Free (HF) compliant

Body size: \$\phi\$5mm Radial lead resin coated High power rating Wide resistance range

Cost effective

Operating temperature range: -40~+200 Agency recognition: UL /cUL/RoHS

#### **Selection Method**

Zero power resistance based on maximum operating ambient temperature.

The maximum steady-state current at the maximum ambient temperature is greater than the customer's maximum long-term operating current, with a margin.

#### Applications:

Switching power supplies, adapters, PD fast chargers, electronic motors, etc.


## **Storage Conditions of Products:**

u Storage Conditions:


Storage Temperature: -10 ~ +40 . Relative Humidity: ≤ 75%RH.

Keep away from corrosive atmosphere and sunlight.

u Period of Storage: 1 year.



Item	Test conditions / Methods	Test Result	
Tensile Strength of Terminals	Fasten body with a Load Applied to each lead 3.0Kg for 1sec.	No break out and damage	
Bending Strength of Terminals	1,	No break out and damage	
Solder Ability	When the Lead wire was dipped into bath 0f 235 ± 5 for 3 seconds after immersion in 25% rosin flux the solder ability ratio of lead wire surface should more than 95%.	More than 95% solder ability	
Temp. Cycle Test	(-40 ×→+25 ×3min) × 5Cycles (-85 ×→+25 ×3min) × 5Cycles	ΔR/R   ≤ ±20 %	
<b>Humidity Test</b>	45 95%RH×1000 hours	ΔR/R   ≤ ±20 %	
Load Life	6 AMP×1000 hours	ΔR/R   ≤ ±20 %	
Insulation Test	DC 700V	R≥500MΩ	



6.0 4.0 3.0 5±0.5 -- 7±1/20±1 0.55 S 6.0 4.0 3.0 5±0.5 10±1 4±1/20±1 0.55 K/V/D Note: Length of Pin (L) can be customized.

### Packing Specifiction

Part Number	Type of L	Quantity (pcs/bag)
MEZO OCHUAD S	Lshort	2000
MF72-SCN10D-5	Llong	1000





sylvia@socay.com

